ELSEVIER

25 September 1998

Chemical Physics Letters 294 (1998) 627–636

CHEMICAL PHYSICS LETTERS

Author index to volume 294

Adachi, J.-i., Y. Takata, N. Kosugi, E. Shigemasa, A. Yagishita and Y. Kitajima, Kinetic energy dependence of anisotropic yields of ionic fragmentations following S 1s excitations of SO_2 294 (1998) 559
Agmon, N. and E.B. Krissinel, Incoherent control of protein conformational state 294 (1998) 79
Ahlrichs, R., see Weigend, F. 294 (1998) 143
Alcaraz, A., see Mafé, S. 294 (1998) 406
Alpert, B., see Haouz, A. 294 (1998) 197
Amoureux, J.-P., see Pingel, U.-T. 294 (1998) 345
Amutha, R., see Subramanian, V. 294 (1998) 285
Anderson, D.T., see Krause, P.J. 294 (1998) 518
Andreoni, W., see Curioni, A. 294 (1998) 263
Andrés, J., see Oliva, M. 294 (1998) 87
Andrés, J., see Sambrano, J.R. 294 (1998) 1
Anupold, T., see Pingel, U.-T. 294 (1998) 345
Aogaki, R., see Nakabayashi, S. 294 (1998) 204
Asami, K., see Kometani, N. 294 (1998) 619
Asano, T. and H. Sumi, An experimental examination of Biswas–Bagchi's prediction on the viscosity dependence of the rate of activated barrier surmounting in viscous liquids 294 (1998) 493
Avron, J.E. and J. Berger, The Longuet-Higgins phase and charge transport in molecular rings 294 (1998) 13

Bach, M., R. Georges, M. Hepp and M. Herman, Slit-jet Fourier transform infrared spectroscopy in $^{12}C_2H_4$: cold and hot bands near 3000 cm^{-1} 294 (1998) 533
Bagus, P.S. and C. Wöll, Orientational effects in molecule–surface interactions: bonding directionality versus steric repulsion 294 (1998) 599
Bakker, B.L.G., D.H. Parker, G. Hancock and G.A.D. Ritchie, Two-photon dissociation of NO near 275 nm investigated by velocity map imaging 294 (1998) 565
Bakker, P., see Nagels, B. 294 (1998) 387
Bampos, N., see Thomas, P.J. 294 (1998) 229
Barford, W., see Bursill, R.J. 294 (1998) 305
Basch, H. and S. Hoz, Resonance in formamide: resolution of contending models 294 (1998) 117
Bauer, F., see Pingel, U.-T. 294 (1998) 345
Baumgärtel, H., see Boyle, K.J. 294 (1998) 507
Becker, J.A., see Hihara, T. 294 (1998) 357
Berger, J., see Avron, J.E. 294 (1998) 13
Berger, R., H.P. Lang, Ch. Gerber, J.K. Gimzewski, J.H. Fabian, L. Scandella, E. Meyer and H.-J. Güntherodt, Micromechanical thermogravimetry 294 (1998) 363

Bernier, P., see Kuhlmann, U. 294 (1998) 237
Berning, A., see Hübner, O. 294 (1998) 37
Berovic, N., see Thomas, P.J. 294 (1998) 229
Bifone, A., see La Penna, G. 294 (1998) 447
Bilger, C. and B. Pettinger, The SHG anisotropy pattern of a reconstructed gold(110) electrode 294 (1998) 425
Billing, G.D. and A. Kuppermann, On the geometric phase effect on tetra-atomic reactions: the $OH + H_2 \rightarrow H_2O + H$ reaction 294 (1998) 26
Biswas, N. and S. Umapathy, Partitioning of the total reorganization energy into its vibrational and solvent (inertial and reorientational) contributions using resonance Raman intensities 294 (1998) 181
Bittl, R., see Jeschke, G. 294 (1998) 323
Boero, M., see Curioni, A. 294 (1998) 263
Boese, A.D. and G.E. Scuseria, C_2 fragmentation energy of C_{60} revisited: theory disagrees with most experiments 294 (1998) 233
Bouhedja, Y., see Ksenofontov, V. 294 (1998) 545
Boyle, K.J., D.P. Seccombe, R.P. Tuckett, H. Baumgärtel and H.W. Jochims, Vacuum–UV fluorescence spectroscopy of GeF_4 in the 10–25 eV range 294 (1998) 507
Brunetti, B., P. Candori, R. Ferramosche, S. Falcinelli, F. Vecchiocattivi, A. Sassara and M. Chergui, Penning ionization of C_{60} molecules 294 (1998) 584
Brüschweiler, R., see Fel'dman, E.B. 294 (1998) 297
Bucher, C.R. and K.K. Lehmann, Vibrationally mediated photodissociation of HCN 294 (1998) 173
Buda, F., see La Penna, G. 294 (1998) 447
Bulthuis, J., see de Lange, M.J.L. 294 (1998) 332
Bursill, R.J., C. Castleton and W. Barford, Optimal parametrisation of the Pariser–Parr–Pople Model for benzene and biphenyl 294 (1998) 305

Cabaleiro-Lago, E.M. and M.A. Ríos, A cooperative mechanism as the main source of the marked structural differences between solid and gaseous $HCN \cdots BF_3$ 294 (1998) 272
Caminati, W., S. Melandri, A. Millemaggi and P.G. Favero, Rotational spectrum of the imidazole–argon complex 294 (1998) 377
Campbell, M.L., Kinetic study of gas-phase $Y(a\,^2D_{3/2})$ and $La(a\,^2D_{3/2})$ with O_2, N_2O, CO_2 and NO 294 (1998) 339
Candori, P., see Brunetti, B. 294 (1998) 584
Canpolat, M., F.W. Starr, A. Scala, M.R. Sadr-Lahijany, O. Mishima, S. Havlin and H.E. Stanley, Local structural heterogeneities in liquid water under pressure 294 (1998) 9
Cao, G., Y. Seimiya, Y. Ohno and T. Matsushima, Reaction sites working in steady-state CO oxidation on a stepped Pt(113) surface 294 (1998) 419
Castleton, C., see Bursill, R.J. 294 (1998) 305
Chakraborty, D. and S. Manogaran, Vibrational analysis of glycine zwitterion – an ab initio study 294 (1998) 56
Chapovsky, P.L., see Nagels, B. 294 (1998) 387
Chen, J.M., R.S. Liu, M.J. Kramer, K.W. Dennis and R.W. McCallum, Soft X-ray absorption study of $(Nd_{1.05-x}Pr_x)Ba_{1.95}Cu_3O_7$ using synchrotron radiation 294 (1998) 209
Chen, Y.-C., see Chou, P.-T. 294 (1998) 579
Chergui, M., see Brunetti, B. 294 (1998) 584
Chou, P.-T., Y.-C. Chen and C.-Y. Wei, Photophysical properties of $(O_2(^1\Delta_g))_2$ in solution phase 294 (1998) 579

Chu, S.-I. and X.-M. Tong, Time-dependent approach to high-resolution spectroscopy: application to the photoabsorption spectrum of classically chaotic hydrogen atoms in magnetic fields 294 (1998) 31
Civalleri, B., E. Garrone and P. Ugliengo, Vibrational modes of isolated hydroxyls of silica computed ab initio in a cluster approach 294 (1998) 103
Clary, D.C., see Krause, P.J. 294 (1998) 518
Coriani, S., see Halkier, A. 294 (1998) 292
Crippa, P.R., see Murgida, D.H. 294 (1998) 538
Curioni, A., M. Boero and W. Andreoni, Alq_3: ab initio calculations of its structural and electronic properties in neutral and charged states 294 (1998) 263

De Groot, H.J.M., see La Penna, G. 294 (1998) 447
De Kersabiec, A.-M., see Haouz, A. 294 (1998) 197
De Lange, M.J.L., J.J. van Leuken, M.M.J.E. Drabbels, J. Bulthuis, J.G. Snijders and S. Stolte, Direct spectroscopic determination of the degree of orientation of parity-selected NO 294 (1998) 332
Demtröder, W., see Platz, T. 294 (1998) 397
Dennis, K.W., see Chen, J.M. 294 (1998) 209
De Schryver, F.C., see Rommens, J. 294 (1998) 434
Desmarais, N., C. Jamorski, F.A. Reuse and S.N. Khanna, Atomic arrangements in Ni_7 and Ni_8 clusters 294 (1998) 480
De Sousa, A.R., see Sambrano, J.R. 294 (1998) 1
Dolg, M., see Shukla, A. 294 (1998) 126
Drabbels, M.M.J.E., see de Lange, M.J.L. 294 (1998) 332
Dreier, T., see Schneider-Kühnle, Y. 294 (1998) 191

Edman, L., S. Wennmalm, F. Tamsen and R. Rigler, Corrigendum to "Heterogeneity in single DNA conformational fluctuations". [Chem. Phys. Lett. 292 (1998) 15–21] 294 (1998) 625
Epple, M., see Kuhnke, K. 294 (1998) 241
Ernst, H., see Pingel, U.-T. 294 (1998) 345
Ernst, R.R., see Fel'dman, E.B. 294 (1998) 297
Erra Balsells, R., see Murgida, D.H. 294 (1998) 538

Fabian, J.H., see Berger, R. 294 (1998) 363
Falcinelli, S., see Brunetti, B. 294 (1998) 584
Fan, L., Y. Li, F. Li, Y. Li and D. Zhu, Positive shifts of the C_{60} reduction potentials by introducing cyano groups 294 (1998) 443
Fanourgakis, G.S., see Froudakis, G.E. 294 (1998) 109
Farantos, S.C., see Froudakis, G.E. 294 (1998) 109
Favero, P.G., see Caminati, W. 294 (1998) 377
Fel'dman, E.B., R. Brüschweiler and R.R. Ernst, From regular to erratic quantum dynamics in long spin $1/2$ chains with an XY Hamiltonian 294 (1998) 297
Fernandez, C., see Pingel, U.-T. 294 (1998) 345
Ferramosche, R., see Brunetti, B. 294 (1998) 584
Finlayson, B.A., see Scovell, D.L. 294 (1998) 255
Francisco, J.S., The structure and heat of formation of the CH_3OCH_2O radical 294 (1998) 319
Freude, D., see Pingel, U.-T. 294 (1998) 345
Freund, H.-J., see Klüner, T. 294 (1998) 413

Froudakis, G.E., G.S. Fanourgakis, S.C. Farantos and S.S. Xantheas, Binding energies and structures of C^+Ar_n ($n = 1$–5), clusters from first principles 294 (1998) 109
Fujisawa, J., Y. Ohba and S. Yamauchi, Pulsed and cw-time-resolved EPR studies of photoinduced electron transfer between zinc(II) porphyrin and fullerene 294 (1998) 248
Fukazawa, H., S. Mae, S. Ikeda and O. Watanabe, Proton ordering in Antarctic ice observed by Raman and neutron scattering 294 (1998) 554

Garrone, E., see Civalleri, B. 294 (1998) 103
Georges, R., see Bach, M. 294 (1998) 533
Gerber, Ch., see Berger, R. 294 (1998) 363
Gerhards, M., S. Schumm, C. Unterberg and K. Kleinermanns, Structure and vibrations of catechol in the S_1 state and ionic ground state 294 (1998) 65
Gimzewski, J.K., see Berger, R. 294 (1998) 363
Guihéry, N., see Miguel, B. 294 (1998) 49
Güntherodt, H.-J., see Berger, R. 294 (1998) 363
Gütlich, P., see Ksenofontov, V. 294 (1998) 545

Halkier, A., S. Coriani and P. Jørgensen, The molecular electric quadrupole moment of N_2 294 (1998) 292
Halpern, J.B., see Rudert, A.D. 294 (1998) 381
Hancock, G., see Bakker, B.L.G. 294 (1998) 565
Haouz, A., C. Twist, C. Zentz, A.-M. de Kersabiec, S. Pin and B. Alpert, Förster energy transfer from tryptophan to flavin in glucose oxidase enzyme 294 (1998) 197
Häser, M., see Weigend, F. 294 (1998) 143
Havlin, S., see Canpolat, M. 294 (1998) 9
Hayakawa, F., see Negishi, Y. 294 (1998) 370
Hepp, M., F. Herregodts and M. Herman, Fourier transform infrared jet spectroscopy using a heated slit source 294 (1998) 528
Hepp, M., see Bach, M. 294 (1998) 533
Herman, M., see Bach, M. 294 (1998) 533
Herman, M., see Hepp, M. 294 (1998) 528
Hermans, L.J.F., see Nagels, B. 294 (1998) 387
Herregodts, F., see Hepp, M. 294 (1998) 528
Hihara, T., S. Pokrant and J.A. Becker, Magnetic moments and chemical bonding in isolated Bi_NCo_M clusters 294 (1998) 357
Hishikawa, A., see Sako, T. 294 (1998) 571
Houjou, H., K. Koyama, M. Wada, K. Sameshima, Y. Inoue and M. Sakurai, Effects of the protein electrostatic environment on the absorption maximum of bacteriorhodopsin 294 (1998) 162
Hoz, S., see Basch, H. 294 (1998) 117
Hübner, O., V. Termath, A. Berning and J. Sauer, A CASSCF/ACPF study of spectroscopic properties of FeS and FeS^- and the photoelectron spectrum of FeS^- 294 (1998) 37

Ikeda, S., see Fukazawa, H. 294 (1998) 554
Illas, F., see Lopez, N. 294 (1998) 611
Inokuma, K., see Nakabayashi, S. 294 (1998) 204
Inoue, Y., see Houjou, H. 294 (1998) 162

Jamorski, C., see Desmarais, N. 294 (1998) 480
Jantoljak, H., see Kuhlmann, U. 294 (1998) 237

Jeschke, G. and R. Bittl, Electron spin echo envelope modulation by electronic spin–spin interactions in radical pairs undergoing electron transfer 294 (1998) 323
Jochims, H.W., see Boyle, K.J. 294 (1998) 507
Jørgensen, P., see Halkier, A. 294 (1998) 292
Journet, C., see Kuhlmann, U. 294 (1998) 237

Kahn, O., see Ksenofontov, V. 294 (1998) 545
Kajimoto, O., see Kometani, N. 294 (1998) 619
Kashihara, S., see Nagamura, T. 294 (1998) 167
Kasuya, A., see Saito, Y. 294 (1998) 593
Kato, M., Y. Nanba and Y. Taniguchi, Erratum to: "Effect of water and deuterated water on Raman spectra of chloroacetone: evidence for the conformational effect on hydration". [Chem. Phys. Lett. 289 (1998) 30–34] 294 (1998) 626
Kawai, H., see Nagamura, T. 294 (1998) 167
Kawamata, H., see Negishi, Y. 294 (1998) 370
Kaya, K., see Negishi, Y. 294 (1998) 370
Kern, K., see Kuhnke, K. 294 (1998) 241
Khanna, S.N., see Desmarais, N. 294 (1998) 480
Kitajima, Y., see Adachi, J.-i. 294 (1998) 559
Kleinermanns, K., see Gerhards, M. 294 (1998) 65
Klüner, T., S. Thiel, H.-J. Freund and V. Staemmler, The vibrational excitation of NO desorbing from NiO(100) after UV laser irradiation: is NO^- a possible intermediate species? 294 (1998) 413
Kometani, N., H. Nakajima, K. Asami, Y. Yonezawa and O. Kajimoto, Excited-state dynamics of the mixed J-aggregate of two kinds of cyanine dyes in layer-by-layer alternate assemblies 294 (1998) 619
Kornweitz, H. and R.D. Levine, Formation of molecular iodine in high-energy four-center $CH_3I + CH_3I$ collisions 294 (1998) 153
Kosugi, N., see Adachi, J.-i. 294 (1998) 559
Koyama, K., see Houjou, H. 294 (1998) 162
Kozlov, A.A., see Tameev, A.R. 294 (1998) 605
Kramer, M.J., see Chen, J.M. 294 (1998) 209
Krastev, I., see Nakabayashi, S. 294 (1998) 204
Krause, P.J., D.C. Clary, D.T. Anderson, M.W. Todd, R.L. Schwartz and M.I. Lester, Time-resolved dissociation of the H_2–OH entrance channel complex 294 (1998) 518
Krawczyk, S., Excited states and electrochromism of radical cation of the carotenoid astaxanthin 294 (1998) 351
Kremer, K., see Mooney, D.A. 294 (1998) 135
Krishnan, V., see Sen, A. 294 (1998) 499
Krissinel, E.B., see Agmon, N. 294 (1998) 79
Ksenofontov, V., G. Levchenko, H. Spiering, P. Gütlich, J.-F. Létard, Y. Bouhedja and O. Kahn, Spin crossover behavior under pressure of $Fe(PM\text{-}L)_2(NCS)_2$ compounds with substituted 2′-pyridylmethylene 4-anilino ligands 294 (1998) 545
Kubo, S., see Yoshioka, Y. 294 (1998) 459
Kuhlmann, U., H. Jantoljak, N. Pfänder, P. Bernier, C. Journet and C. Thomsen, Infrared active phonons in single-walled carbon nanotubes 294 (1998) 237
Kuhnke, K., M. Epple and K. Kern, Second-harmonic spectroscopy of fullerenes 294 (1998) 241
Kuppermann, A., see Billing, G.D. 294 (1998) 26

Laitenberger, P., see Thomas, P.J. 294 (1998) 229
Lang, H.P., see Berger, R. 294 (1998) 363
La Penna, G., F. Buda, A. Bifone and H.J.M. de Groot, The transition state in the isomerization of rhodopsin 294 (1998) 447
Lehmann, K.K., see Bucher, C.R. 294 (1998) 173
Lester, M.I., see Krause, P.J. 294 (1998) 518
Létard, J.-F., see Ksenofontov, V. 294 (1998) 545
Levchenko, G., see Ksenofontov, V. 294 (1998) 545
Levine, R.D., see Kornweitz, H. 294 (1998) 153
Li, F., see Fan, L. 294 (1998) 443
Li, Y., see Fan, L. 294 (1998) 443
Li, Y., see Fan, L. 294 (1998) 443
Liu, R.S., see Chen, J.M. 294 (1998) 209
Longo, E., see Sambrano, J.R. 294 (1998) 1
Lopez, N., G. Pacchioni, F. Maseras and F. Illas, Hybrid quantum-mechanical and molecular mechanics study of Cu atoms deposition on SiO_2 surface defects 294 (1998) 611
Lüder, Ch. and K.H. Meiwes-Broer, Electron detachment energies of $Pb_N^-(N = 24–204)$ determined in a simple magnetic bottle photoelectron spectrometer 294 (1998) 391

Mae, S., see Fukazawa, H. 294 (1998) 554
Mafé, S., P. Ramírez and A. Alcaraz, Electric field-assisted proton transfer and water dissociation at the junction of a fixed-charge bipolar membrane 294 (1998) 406
Malrieu, J.P., see Miguel, B. 294 (1998) 49
Manogaran, S., see Chakraborty, D. 294 (1998) 56
Marcus, A.H., see Tam, M.C.-M. 294 (1998) 217
Martin, J., see Rudert, A.D. 294 (1998) 381
Maseras, F., see Lopez, N. 294 (1998) 611
Matsushima, T., see Cao, G. 294 (1998) 419
May, V., see Petrov, E.G. 294 (1998) 19
McCallum, R.W., see Chen, J.M. 294 (1998) 209
McCourt, F.R.W., see Naumkin, F.Y. 294 (1998) 71
Meiwes-Broer, K.H., see Lüder, Ch. 294 (1998) 391
Melandri, S., see Caminati, W. 294 (1998) 377
Meyer, E., see Berger, R. 294 (1998) 363
Miguel, B., N. Guihéry, J.P. Malrieu and P. Wind, Study of infinite polyacetylene from a Heisenberg Hamiltonian: dimerization and lowest excitation energies 294 (1998) 49
Millemaggi, A., see Caminati, W. 294 (1998) 377
Mishima, O., see Canpolat, M. 294 (1998) 9
Mitsushima, K., see Saito, Y. 294 (1998) 593
Miyagawa, N., see Saito, Y. 294 (1998) 593
Monnerville, M. and B. Pouilly, First quantum investigation of the photodissociation of the Ar–HBr complex: three-dimensional time-dependent approach 294 (1998) 473
Montgomery Jr., H.E., Two-electron wavefunctions. Fourteenth-order expectation values 294 (1998) 468
Mooney, D.A., F. Müller-Plathe and K. Kremer, Simulation studies for liquid phenol: properties evaluated and tested over a range of temperatures 294 (1998) 135
Moscardó, F. and J.C. Sancho-García, Exchange and correlation Kohn–Sham functionals for the helium atom: locality and homogeneity 294 (1998) 314
Müller-Plathe, F., see Mooney, D.A. 294 (1998) 135

Murgida, D.H., R. Erra Balsells, P.R. Crippa and C. Viappiani, Type I photosensitized reactions of oxopurines. Kinetics and thermodynamics of the reaction with triplet benzophenone by time-resolved photoacoustic spectroscopy 294 (1998) 538

Nagamura, T., S. Kashihara and H. Kawai, First intramolecular charge resonance band observed at room temperature in solution by steady photolysis of 1,3-bis(4-(4-nitrostyryl)pyridinium)propane tetraphenylborate 294 (1998) 167
Nagels, B., P. Bakker, L.J.F. Hermans and P.L. Chapovsky, Violation of nuclear-spin symmetry in collisions of symmetric tops 294 (1998) 387
Nakabayashi, S., I. Krastev, R. Aogaki and K. Inokuma, Electrochemical instability of Ag/Sb co-deposition coupled with a magnetohydrodynamic flow 294 (1998) 204
Nakajima, A., see Negishi, Y. 294 (1998) 370
Nakajima, H., see Kometani, N. 294 (1998) 619
Nanba, Y., see Kato, M. 294 (1998) 626
Naumkin, F.Y. and F.R.W. McCourt, Ab initio-based potential energy surfaces and predicted microwave spectra of the Ar–$I_2(X^1\Sigma_g^+)$ Van der Waals complex 294 (1998) 71
Neal, M.P. and A.J. Parker, Computer simulations using a longitudinal quadrupolar Gay–Berne model: effect of the quadrupole magnitude on the formation of the smectic phase 294 (1998) 277
Negishi, Y., H. Kawamata, F. Hayakawa, A. Nakajima and K. Kaya, The infrared HOMO–LUMO gap of germanium clusters 294 (1998) 370
Newson, K.A. and S.D. Price, Intramolecular isotope effects in the bond-forming reaction of CF_2^{2+} with HD 294 (1998) 223
Nishina, Y., see Saito, Y. 294 (1998) 593
Nitta, T., see Takahashi, H. 294 (1998) 95

Ohba, Y., see Fujisawa, J. 294 (1998) 248
Ohno, Y., see Cao, G. 294 (1998) 419
Oliva, M., V.S. Safont, J. Andrés and O. Tapia, Molecular mechanism for oxygenation pathway in Rubisco. Mapping transition structures and intermediates for model compounds of the substrate system 294 (1998) 87

Pacchioni, G., see Lopez, N. 294 (1998) 611
Padmanabhan, J., see Subramanian, V. 294 (1998) 285
Palmer, R.E., see Thomas, P.J. 294 (1998) 229
Pancheshnyi, S.V., S.M. Starikovskaia and A.Y. Starikovskii, Measurements of rate constants of the $N_2(C^3\Pi_u, v'=0)$ and $N_2^+(B^2\Sigma_u^+, v'=0)$ deactivation by N_2, O_2, H_2, CO and H_2O molecules in afterglow of the nanosecond discharge 294 (1998) 523
Parker, A.J., see Neal, M.P. 294 (1998) 277
Parker, D.H., see Bakker, B.L.G. 294 (1998) 565
Patzelt, H., see Weigend, F. 294 (1998) 143
Petrov, E.G., I.S. Tolokh and V. May, Blocking of bridge-mediated electron transfer by an external magnetic field 294 (1998) 19
Pettinger, B., see Bilger, C. 294 (1998) 425
Pfänder, N., see Kuhlmann, U. 294 (1998) 237
Pin, S., see Haouz, A. 294 (1998) 197
Pingel, U.-T., J.-P. Amoureux, T. Anupold, F. Bauer, H. Ernst, C. Fernandez, D. Freude and A. Samoson, High-field ^{17}O NMR studies of the SiOAl bond in solids 294 (1998) 345

Pinkerton, T.D., see Scovell, D.L. 294 (1998) 255
Platz, T. and W. Demtröder, Sub-Doppler optothermal overtone spectroscopy of ethylene and dichloroethylene 294 (1998) 397
Pokrant, S., see Hihara, T. 294 (1998) 357
Pouilly, B., see Monnerville, M. 294 (1998) 473
Price, S.D., see Newson, K.A. 294 (1998) 223

Queralt, J.J., see Sambrano, J.R. 294 (1998) 1

Ramasami, T., see Subramanian, V. 294 (1998) 285
Ramírez, P., see Mafé, S. 294 (1998) 406
Reuse, F.A., see Desmarais, N. 294 (1998) 480
Ricca, A., Heats of formation for NF_n ($n = 1$–3) and NF_n^+ ($n = 1$–3) 294 (1998) 454
Rice, S.A., see Tam, M.C.-M. 294 (1998) 217
Rigler, R., see Edman, L. 294 (1998) 625
Ríos, M.A., see Cabaleiro-Lago, E.M. 294 (1998) 272
Ritchie, G.A.D., see Bakker, B.L.G. 294 (1998) 565
Rommens, J., M. Van der Auweraer and F.C. De Schryver, Sensitized photocurrents in molecular dispersions of 5′-[4-[bis(4-ethylphenyl)amino]phenyl]-N,N,N′,N′-tetrakis(4-ethylphenyl)-[1,1′:3′,1″-terphenyl]-4,4″-diamine 294 (1998) 434
Rudert, A.D., J. Martin, H. Zacharias and J.B. Halpern, Controlling molecular angular momentum orientation by Raman pumping and optical ac Stark effect 294 (1998) 381

Sadr-Lahijany, M.R., see Canpolat, M. 294 (1998) 9
Safont, V.S., see Oliva, M. 294 (1998) 87
Saito, I., see Yoshioka, Y. 294 (1998) 459
Saito, Y., Y. Tani, N. Miyagawa, K. Mitsushima, A. Kasuya and Y. Nishina, High yield of single-wall carbon nanotubes by arc discharge using Rh–Pt mixed catalysts 294 (1998) 593
Sako, T., A. Hishikawa and K. Yamanouchi, Vibrational propensity in the predissociation rate of $SO_2(\tilde{C}\,^1B_2)$ by two types of nodal patterns in vibrational wavefunctions 294 (1998) 571
Sakurai, M., see Houjou, H. 294 (1998) 162
Sambrano, J.R., A.R. de Sousa, J.J. Queralt, J. Andrés and E. Longo, A theoretical analysis on the intramolecular proton transfer of α-alanine in an aqueous medium 294 (1998) 1
Sameshima, K., see Houjou, H. 294 (1998) 162
Samoson, A., see Pingel, U.-T. 294 (1998) 345
Sancho-García, J.C., see Moscardó, F. 294 (1998) 314
Sanders, J.K.M., see Thomas, P.J. 294 (1998) 229
Sassara, A., see Brunetti, B. 294 (1998) 584
Sauer, J., see Hübner, O. 294 (1998) 37
Scala, A., see Canpolat, M. 294 (1998) 9
Scandella, L., see Berger, R. 294 (1998) 363
Schneider-Kühnle, Y., T. Dreier and J. Wolfrum, Vibrational relaxation and energy transfer in the hydrogen system at temperatures between 110 and 300 K 294 (1998) 191
Schumm, S., see Gerhards, M. 294 (1998) 65
Schwartz, R.L., see Krause, P.J. 294 (1998) 518
Scovell, D.L., T.D. Pinkerton, B.A. Finlayson and E.M. Stuve, The dielectric response of water in high electric fields: equilibrium water thickness and the field distribution 294 (1998) 255

Scuseria, G.E., see Boese, A.D. 294 (1998) 233
Seccombe, D.P., see Boyle, K.J. 294 (1998) 507
Seimiya, Y., see Cao, G. 294 (1998) 419
Sen, A. and V. Krishnan, Novel covalently linked porphyrin dimers for controlled intramolecular energy transfer 294 (1998) 499
Shigemasa, E., see Adachi, J.-i. 294 (1998) 559
Shukla, A., M. Dolg and H. Stoll, A Wannier-function-based ab initio Hartree–Fock study of polyethylene 294 (1998) 126
Sivanesan, D., see Subramanian, V. 294 (1998) 285
Snijders, J.G., see de Lange, M.J.L. 294 (1998) 332
Spiering, H., see Ksenofontov, V. 294 (1998) 545
Staemmler, V., see Klüner, T. 294 (1998) 413
Stanley, H.E., see Canpolat, M. 294 (1998) 9
Starikovskaia, S.M., see Pancheshnyi, S.V. 294 (1998) 523
Starikovskii, A.Y., see Pancheshnyi, S.V. 294 (1998) 523
Starr, F.W., see Canpolat, M. 294 (1998) 9
Stoll, H., see Shukla, A. 294 (1998) 126
Stolte, S., see de Lange, M.J.L. 294 (1998) 332
Stuve, E.M., see Scovell, D.L. 294 (1998) 255
Subramanian, V., D. Sivanesan, R. Amutha, J. Padmanabhan and T. Ramasami, Hardness profile of interaction of H–F with He, Ne and Ar: a density functional and MP2 calculation 294 (1998) 285
Sumi, H., see Asano, T. 294 (1998) 493

Takahashi, H., T. Wakabayashi and T. Nitta, A wavepacket analysis of the statistical behaviour of molecules that penetrate a slit-shaped micropore 294 (1998) 95
Takata, Y., see Adachi, J.-i. 294 (1998) 559
Tam, M.C.-M., S.A. Rice and A.H. Marcus, Unusual structure in a quasi-two-dimensional binary colloid fluid 294 (1998) 217
Tameev, A.R., A.A. Kozlov and A.V. Vannikov, Influence of transport site alignment on electron and hole mobilities in polymer films 294 (1998) 605
Tamsen, F., see Edman, L. 294 (1998) 625
Tani, Y., see Saito, Y. 294 (1998) 593
Taniguchi, Y., see Kato, M. 294 (1998) 626
Tapia, O., see Oliva, M. 294 (1998) 87
Termath, V., see Hübner, O. 294 (1998) 37
Thiel, S., see Klüner, T. 294 (1998) 413
Thomas, P.J., N. Berovic, P. Laitenberger, R.E. Palmer, N. Bampos and J.K.M. Sanders, Room temperature manipulation of self-organised supramolecular nanostructures with a scanning tunnelling microscope 294 (1998) 229
Thomsen, C., see Kuhlmann, U. 294 (1998) 237
Todd, M.W., see Krause, P.J. 294 (1998) 518
Tolokh, I.S., see Petrov, E.G. 294 (1998) 19
Tong, X.-M., see Chu, S.-I. 294 (1998) 31
Truhlar, D.G., Basis-set extrapolation 294 (1998) 45
Tuckett, R.P., see Boyle, K.J. 294 (1998) 507
Twist, C., see Haouz, A. 294 (1998) 197

Ugliengo, P., see Civalleri, B. 294 (1998) 103
Umapathy, S., see Biswas, N. 294 (1998) 181
Unterberg, C., see Gerhards, M. 294 (1998) 65

Van der Auweraer, M., see Rommens, J. 294 (1998) 434
Van Leuken, J.J., see de Lange, M.J.L. 294 (1998) 332
Vannikov, A.V., see Tameev, A.R. 294 (1998) 605
Vecchiocattivi, F., see Brunetti, B. 294 (1998) 584
Viappiani, C., see Murgida, D.H. 294 (1998) 538

Wada, M., see Houjou, H. 294 (1998) 162
Wakabayashi, T., see Takahashi, H. 294 (1998) 95
Wales, D.J., Erratum to "Symmetry, near-symmetry and energetics" [Chem. Phys. Lett. 285 (1998) 330] 294 (1998) 262
Watanabe, O., see Fukazawa, H. 294 (1998) 554
Wei, C.-Y., see Chou, P.-T. 294 (1998) 579
Weigend, F., M. Häser, H. Patzelt and R. Ahlrichs, RI-MP2: optimized auxiliary basis sets and demonstration of efficiency 294 (1998) 143
Wennmalm, S., see Edman, L. 294 (1998) 625
Wheatley, R.J., An overlap model for exchange-induction: application to alkali halides 294 (1998) 487
Wind, P., see Miguel, B. 294 (1998) 49
Wolfrum, J., see Schneider-Kühnle, Y. 294 (1998) 191
Wöll, C., see Bagus, P.S. 294 (1998) 599

Xantheas, S.S., see Froudakis, G.E. 294 (1998) 109

Yagishita, A., see Adachi, J.-i. 294 (1998) 559
Yamaguchi, K., see Yoshioka, Y. 294 (1998) 459
Yamanouchi, K., see Sako, T. 294 (1998) 571
Yamauchi, S., see Fujisawa, J. 294 (1998) 248
Yonezawa, Y., see Kometani, N. 294 (1998) 619
Yoshioka, Y., S. Kubo, K. Yamaguchi and I. Saito, An ab initio molecular orbital study of a binuclear dioxygen complex as a model of the binuclear active site in cytochrome *c* oxidase 294 (1998) 459

Zacharias, H., see Rudert, A.D. 294 (1998) 381
Zentz, C., see Haouz, A. 294 (1998) 197
Zhu, D., see Fan, L. 294 (1998) 443